

Date: 26<sup>th</sup> July 2021

# **Technical Data Sheet**

Version: 01

| Product Name      |  |
|-------------------|--|
| Full Product Name | Degreaser Aerosol  |
| Type of Product   | Surface Cleaner  |
| Description       | The Concept Degreaser Aerosol is a solvent-based cleaner for the removal of grease from most surfaces. It has excellent degreasing/cleaning effects. |

### **Properties**

- Suitable for most surfaces without damaging existing sound paintwork
- Effective cleaner
- Ready for use (aerosol)

#### **Substrates**

- Metal surfaces
- Existing finishes in sound condition

| <b>Substrate Preparation</b> |     |
|------------------------------|-----|
| All Substrates               | N/A |

TDS – Degreaser Aerosol page 1 of 4



Date: 26<sup>th</sup> July 2021

# **Technical Data Sheet**

Version: 01

| <b>D</b>    |       | _   |             | 4.       |
|-------------|-------|-----|-------------|----------|
| <b>Prod</b> | luct. | Pre | nar         | ation    |
|             |       |     | <b>~~</b> . | <b>u</b> |

|   | Shake can                           | Invert and shake the can thoroughly,  |     |  |
|---|-------------------------------------|---|-----|--|
| A B   | Pot life<br>@ 25°C (77°F)           | N/A   |     |  |
| S   | Spray<br>viscosity<br>@ 25°C (77°F) | BSB 4 Cup<br>Ford 4 Cup   | N/A |  |
|   | Application                         | Spray the area to be cleaned in an even overlapping pattern from a distance of approximately 25 centimetres. Wait a few minutes then apply water to remove the grease. To remove severe contamination, repeat cleaning. |     |  |
|   | Number of coats                     | N/A   |     |  |
|   | DFT<br>Recommended                  | N/A   |     |  |
| <u>\\</u>   | Flash off time<br>@ 25°C (77°F)     | 0 min (no flash-off required)   |     |  |
|   | Drying                              | Air Dry<br>@ 25°C (77°F)  | N/A |  |
| This data relates only to the material designated herein and does not apply to use in combination |                                     |   |     |  |

This data relates only to the material designated herein and does not apply to use in combination with any other material or any process. The data is not to be considered as a warranty or quality specification and we assume no liability in connection with its use.

| Remarks |  |
|---------|--|
| %F/°C   | Surface temperature must always be a minimum of 3°C (5°F) above dew point. |

| <b>Equipment Cleaning</b> |  |
|---------------------------|--|
|                           | Turn the can upside down and spray until the jet clears. |

TDS – Degreaser Aerosol page 2 of 4



Date: 26th July 2021

### **Technical Data Sheet**

Version: 01

| Dry Film Properties | when compared to similar technology products. |  |
|---------------------|---|--|
| Not Applicable      |   |  |

| Product Data         |  |  |
|----------------------|--|--|
| Colour               | Clear  |  |
| Theoretical Coverage | N/A  |  |
| Shelf Life           | 36 months in an unopened container at room temperature away from sunlight. |  |

| Product Packaging |                   |                |
|-------------------|-------------------|----------------|
| Product Code      | Product Name      | Package Size   |
| AU0449000.400     | Degreaser Aerosol | 400g (aerosol) |

#### Safety

Before using, read and follow all label and Safety Data Sheet (SDS) precautions, including respiratory protection and other Personal Protective Equipment such as safety clothing, glasses and gloves. Use only in a well-ventilated area.

The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check if the information is current and the product is suitable for its intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved.

We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

This Technical Data Sheet supersedes all previous issues.

Concept Paints 26-30 Charles Street St Marys NSW 2760 Sydney, Australia ph. +61 (2) 9673 2555 fax. +61 (2) 9623 1918 office@conceptpaints.com.au www.conceptpaints.com.au